

SDS Report

No. SHACPCH1422759801

Date: Jan. 20, 2015

Page 1 of 1


Yiwu bodan import and export co., LTD
No.1230,Datong Road ,Niansanli Industry zone, Yiwu, Zhejiang,China

SGS Ref. No. : SHCPCH141105423-1
Sample Name : UV GEL(BASE COAT)
End Uses : UV model USES material
Composition/Ingredient of sample (as per client submission) : See *Section 3 Composition/information on ingredients* on the SDS report
Job Receiving Date : Nov 28, 2014
Last Information Date : Dec 05, 2014
SDS Preparation Period : Nov 28 - Dec 11, 2014

Service Requested : Preparation of Safety Data Sheet (SDS) for the sample with submitted information.

Summary : As per request, the contents and formats of the SDS are prepared in accordance with European Commission Directives 67/548/EEC, 1999/45/EC, Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 453/2010, and is provided per attached.

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.



Wei WANG, Terry
Approved Signatory



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No.889 Yishan Road Xuhui District, Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 HL: (86-21) 61402594 HL: (86-21) 54500353 e sgs.china@sgs.com

Safety Data Sheet

Regulation(EC) No.1907/2006, 1272/2008

Printing date 24.12.2014

Revision: 05.12.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** UV GEL(BASE COAT)

- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture:** UV model USES material

- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 Yiwu bodan import and export co., LTD
 No.1230,Datong Road ,Niansanli Industry zone, Yiwu, Zhejiang,China
 Tel: 0086-579-85161566
 Email: 2260311618@qq.com
- **Only Representative/ other EU contact point:** Not available
- **Further information obtainable from:** Yiwu bodan import and export co., LTD

- **1.4 Emergency telephone number:**
 Tian pei Qiu
 Tel: 13566709995

- **1.5 Reference Number:** SHCPCH141105423-1; SHACPCH1422759801

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Repr. 2 H361f Suspected of damaging fertility.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.
 Eye Irrit. 2 H319 Causes serious eye irritation.
 Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xn; Harmful

R62: Possible risk of impaired fertility.



Xi; Irritant

R36/38: Irritating to eyes and skin.



Xi; Sensitising

R43: May cause sensitisation by skin contact.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of Directive 67/548/EEC, 1999/45/EC and Regulation 1272/2008/EC.

- **Classification system:**

The classification is according to the latest edition of the Directive 67/548/EEC , 1999/45/EC and Regulation (EC) No. 1272/2008, and extended by company and literature data.

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety Data Sheet

Regulation(EC) No.1907/2006, 1272/2008

Printing date 24.12.2014

Revision: 05.12.2014

Trade name: UV GEL(BASE COAT)

(Contd. of page 1)

· Hazard pictograms



GHS07 GHS08

· Signal word Warning

· Hazard-determining components of labelling:

2-hydroxyethyl methacrylate
 diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide
 2,2-bis(acryloyloxymethyl)butyl acrylate

· Hazard statements

H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H317 May cause an allergic skin reaction.
 H361f Suspected of damaging fertility.
 H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P103 Read label before use.
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P321 Specific treatment (see on this label).
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

For the wording of the listed risk phrases refer to section 16.
 Mixture of the substances listed below with nonhazardous additions.

· Composition:

CAS: 73324-00-2	2-Propenoic acid, 2-hydroxyethyl ester, polymer with 1,1'-methylenebis(4-isocyanatocyclohexane) and alpha, alpha', alpha''-1,2,3-propanetriyltris(omega-hydroxypoly(oxy(methyl-1,2-ethanediyl))) Xi R36 Eye Irrit. 2, H319	40,0%
CAS: 868-77-9 EINECS: 212-782-2 Index number: 607-124-00-X	2-hydroxyethyl methacrylate Xi R36/38; Xi R43 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	28,0%

(Contd. on page 3)

Safety Data Sheet







Regulation(EC) No.1907/2006, 1272/2008

Printing date 24.12.2014

Revision: 05.12.2014

Trade name: UV GEL(BASE COAT)

(Contd. of page 2)

CAS: 5888-33-5 EINECS: 227-561-6	Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate  	17,0%
CAS: 15625-89-5 EINECS: 239-701-3 Index number: 607-111-00-9	2,2-bis(acryloyloxymethyl)butyl acrylate  	10,0%
CAS: 75980-60-8 EINECS: 278-355-8 Index number: 015-203-00-X	diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide  Repr. Cat. 3 	5,0%

· **Remark :**

2-Propenoic acid, 2-hydroxyethyl ester, polymer with 1,1'-methylenebis(4-isocyanatocyclohexane) and alpha,alpha',alpha''-1,2,3-propanetriyltris(omega-hydroxypoly(oxy(methyl-1,2-ethanediyl))) (CAS NO.73324-00-2)

Synonym: Urethane Acrylate Oligomer

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

Rinse out mouth with water.

If symptoms persist consult doctor.

Never give anything by mouth to an unconscious person.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

CO₂ powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear fully protective suit.

Mouth respiratory protective device.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid contact with eyes.

(Contd. on page 4)

Safety Data Sheet

Regulation(EC) No.1907/2006, 1272/2008

Printing date 24.12.2014

Revision: 05.12.2014

Trade name: UV GEL(BASE COAT)

(Contd. of page 3)

Avoid contact with skin.

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Avoid contact with eyes and skin.

· **Information about fire - and explosion protection:** Normal measures for preventive fire protection.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Store only in the original receptacle.

· **Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidising agents.

· **Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

868-77-9 2-hydroxyethyl methacrylate (28%)	
MAK (Germany)	vgl.Abschn.IIb
15625-89-5 2,2-bis(acryloyloxymethyl)butyl acrylate (10%)	
MAK (Germany)	vgl.Abschn.IV

· **DNELs:** Not applicable.

· **PNECs:** Not applicable.

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure**

· **Appropriate engineering controls**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)

Safety Data Sheet

Regulation(EC) No.1907/2006, 1272/2008

Printing date 24.12.2014

Revision: 05.12.2014

Trade name: UV GEL(BASE COAT)

(Contd. of page 4)

Wash hands before breaks and at the end of work.
 Avoid contact with the eyes and skin.
 See Section 7 for information about design of technical facilities.

- **Personal protective equipment**

- **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

- **Environmental exposure controls:**

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Viscous liquid

Colour: Transparent

- **Odour:** Odourless

- **Odour threshold:** Data not available.

- **pH-value:** Data not available.

- **Change in condition:**

Melting point/Melting range: Data not available.

- **Freezing point:** Data not available.

- **Boiling point/Boiling range:** Data not available.

- **Flash point:** >150 ° F

- **Flammability (solid, gaseous):** Not applicable.

- **Auto-ignition temperature:** Data not available.

- **Decomposition temperature:** Data not available.

- **Self-igniting:** Product is not selfigniting.

(Contd. on page 6)

Safety Data Sheet

Regulation(EC) No.1907/2006, 1272/2008

Printing date 24.12.2014

Revision: 05.12.2014

Trade name: UV GEL(BASE COAT)

(Contd. of page 5)

· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Data not available.
Upper:	Data not available.
· Oxidizing properties:	Data not available.
· Vapour pressure:	Data not available.
· Density:	Data not available.
· Relative density:	Data not available.
· Vapour density:	Data not available.
· Evaporation rate:	Data not available.
· Solubility in / Miscibility with water:	Data not available.
· Partition coefficient (n-octanol/water):	Data not available.
· Viscosity:	
Dynamic:	Data not available.
Kinematic:	Data not available.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No decomposition if used according to specifications.
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**

· LD/LC50 values relevant for classification:		
5888-33-5 Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate		
Oral	LD50	4890 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rabbit)
868-77-9 2-hydroxyethyl methacrylate		
Oral	LD50	5050 mg/kg (rat)
15625-89-5 2,2-bis(acryloyloxymethyl)butyl acrylate		
Oral	LD50	5710 mg/kg (rat)
Dermal	LD50	5710 mg/kg (rabbit)

- **Primary irritant effect**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitisation:**
- Sensitization possible.
- Sensitisation possible through skin contact.

(Contd. on page 7)

Safety Data Sheet

Regulation(EC) No.1907/2006, 1272/2008

Printing date 24.12.2014

Revision: 05.12.2014

Trade name: UV GEL(BASE COAT)

(Contd. of page 6)

· **Additional toxicological information:**

The product shows the following dangers according to the calculation method based on the EU Directives 67/584/EEC, 1999/45/EC and Regulation 1272/2008/EC:

Irritant

Product is suspected to cause damage to fertility.

- **Toxicokinetics, metabolism and distribution:** Data not available.
- **Acute effects (acute toxicity, irritation and corrosivity):** Data not available.
- **Repeated dose toxicity:** Data not available.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**
Repr. 2

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Remark:** Harmful to fish
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.
- **12.7 Additional ecological information:**
- **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Harmful to aquatic organisms

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation:**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|--|-----------------|
| <ul style="list-style-type: none"> · 14.1 UN-Number · ADR, IMDG, IATA | Not applicable. |
| <ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR, IMDG, IATA | Not applicable. |
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR, IMDG, IATA · Class | Not applicable. |

(Contd. on page 8)

Safety Data Sheet
Regulation(EC) No.1907/2006, 1272/2008

Printing date 24.12.2014

Revision: 05.12.2014

Trade name: UV GEL(BASE COAT)

(Contd. of page 7)

- | | |
|--|-----------------|
| · 14.4 Packing group
· ADR, IMDG, IATA | Not applicable. |
| · 14.5 Environmental hazards
· Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | - |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- MAK(German Maximum Workplace Concentration)

None of the ingredients is listed.

- National regulations:

- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

- Other regulations, limitations and prohibitive regulations

- SVHC Candidate List of REACH Regulation Annex XIV Authorisation (17/12/2014)

None of the ingredients is listed.

- REACH Regulation Annex XVII Restriction (8/5/2014)

None of the ingredients is listed.

- REACH Regulation Annex XIV Authorisation List (14/8/2014)

None of the ingredients is listed.

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H361f Suspected of damaging fertility.

H411 Toxic to aquatic life with long lasting effects.

R36 Irritating to eyes.

R36/37/38 Irritating to eyes, respiratory system and skin.

R36/38 Irritating to eyes and skin.

R43 May cause sensitisation by skin contact.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R62 Possible risk of impaired fertility.

The contents and format of this SDS are in accordance with REGULATION (EC) No 1272/2008, REGULATION (EC) No 1907/2006, Regulation (EU) No 453/2010 and EU Commission Directive 1999/45/EC, 67/548/EEC.

DISCLAIMER OF LIABILITY :

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal

(Contd. on page 9)

Safety Data Sheet

Regulation(EC) No.1907/2006, 1272/2008

Printing date 24.12.2014

Revision: 05.12.2014

Trade name: UV GEL(BASE COAT)

(Contd. of page 8)

of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Repr. 2: Reproductive toxicity, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

End of document

EU